

S20 – November Checklist H&SMR03

Ensure no tasks are being undertaken without appropriate risk assessments and safe systems of work in place.

Item	Checked		Non-compliance transferred onto management action plan	
Shotfiring				
Is a design and specification available for each shot?	Yes <input type="radio"/>	No <input type="radio"/>	Yes <input type="radio"/>	No <input type="radio"/>
Have satisfactory drilling reports been prepared?	Yes <input type="radio"/>	No <input type="radio"/>	Yes <input type="radio"/>	No <input type="radio"/>
Has the charging specification been followed?	Yes <input type="radio"/>	No <input type="radio"/>	Yes <input type="radio"/>	No <input type="radio"/>
Are explosive use and storage records accurate and up to date?	Yes <input type="radio"/>	No <input type="radio"/>	Yes <input type="radio"/>	No <input type="radio"/>
Is the store licence up to date?	Yes <input type="radio"/>	No <input type="radio"/>	Yes <input type="radio"/>	No <input type="radio"/>
Is the acquire/acquire and keep licence up to date and in the company name?	Yes <input type="radio"/>	No <input type="radio"/>	Yes <input type="radio"/>	No <input type="radio"/>
Are the POMSTER IDs up to date and certificates current?	Yes <input type="radio"/>	No <input type="radio"/>	Yes <input type="radio"/>	No <input type="radio"/>
Is the explosive vehicle suitably marked and is the beacon working?	Yes <input type="radio"/>	No <input type="radio"/>	Yes <input type="radio"/>	No <input type="radio"/>
Is the explosive store clean, are the keys secure and the alarm working satisfactorily?	Yes <input type="radio"/>	No <input type="radio"/>	Yes <input type="radio"/>	No <input type="radio"/>
Is the shotfiring equipment suitably calibrated?	Yes <input type="radio"/>	No <input type="radio"/>	Yes <input type="radio"/>	No <input type="radio"/>
Is the ammonium nitrate store of adequate construction and secure? Note: HSE guidance on storage and handling of ammonium nitrate.	Yes <input type="radio"/>	No <input type="radio"/>	Yes <input type="radio"/>	No <input type="radio"/>
Is the detonator box of adequate construction and secure?	Yes <input type="radio"/>	No <input type="radio"/>	Yes <input type="radio"/>	No <input type="radio"/>
Are all tools acceptable?	Yes <input type="radio"/>	No <input type="radio"/>	Yes <input type="radio"/>	No <input type="radio"/>
Has the managers audit checklist been completed within the last six months?	Yes <input type="radio"/>	No <input type="radio"/>	Yes <input type="radio"/>	No <input type="radio"/>

First aid

Is there an adequate number of trained personnel to provide cover (including during holidays)?	Yes <input type="radio"/>	No <input type="radio"/>	Yes <input type="radio"/>	No <input type="radio"/>
Are the facilities adequate for the site?	Yes <input type="radio"/>	No <input type="radio"/>	Yes <input type="radio"/>	No <input type="radio"/>
Is the location of first aiders and facilities shown on the site plan and around the site?	Yes <input type="radio"/>	No <input type="radio"/>	Yes <input type="radio"/>	No <input type="radio"/>
Are first aid facilities regularly checked?	Yes <input type="radio"/>	No <input type="radio"/>	Yes <input type="radio"/>	No <input type="radio"/>
Are records kept of first aid treatment?	Yes <input type="radio"/>	No <input type="radio"/>	Yes <input type="radio"/>	No <input type="radio"/>

Signatures

Responsible manager	Date	Comment
.....
Senior manager	Date	Comment
.....

